



Gammacolor s.r.l.
Via Zeuner, 5 20822 Seveso (MB) Italy
tel. +39 0362550550 fax +39 0362551915
email info@gammacolorsrl.com



Associazione Tessile e Salute
Azienda associata

p.IVA 00736390964 C.F. 02639210158 c.c.i.a. Milano n. 927455 Codice ISS azienda 00736390964

MACRO AH

Silicone microemulsion, softener suitable for any type of fibre

Chemical composition: elastomeric silicone microemulsion

Appearance: clear, slightly opalescent liquid

pH sol. 1%: 4.5 – 5.5

Ionic character: cationic - non-ionic

Solubility: soluble in cold water

Storage stability: stable for at least one year if kept in the original closed packaging.

Field of application

MACRO AH gives treated fabrics a particularly soft, full and snappy hand.

It improves the sewability of fabrics, their resistance to abrasion and tearing and does not cause yellowing.

MACRO AH can be used by exhaustion or by impregnation on knitted, woven and garment fabrics.

Instructions for use

The doses of use vary depending on the material in question and the result you want to obtain, it is not suitable for Jet applications; in general:

Foulard: 20 - 40 g/l

Upon exhaustion: 2 – 5 % s.p.m. pH: approx. 4.5 – 5 for acetic acid, temperature: 30 – 35°C
time: 20 – 30 min.

Keywords: microemulsion, silicone, softener, full hand, snappy hand, sewability, abrasion, tearing

The data reported are the result of accurate studies and/or experience gained, however they must be considered indicative and in any case without guarantee on our part for the use. The data contained in this sheet are not to be considered specific.

For information: e-mail info@gammacolorsrl.com