



Gammacolor s.r.l.
 Via Zeuner,5 20822 Seveso (MB) Italy
 tel. +39 0362550550 fax +39 0362551915
 email info@gammacolorsrl.com

Sistema di gestione qualità
 certificato secondo la UNI EN ISO
 9001:2015 da Certiquality.

p.IVA 00736390964
 Cod.Fisc. 02639210158
 c.c.i.a. Milano n. 927455
 Codice APP/ISS azienda 00736390964



Associazione Tessile e Salute
 Azienda associata

ACQUAMOLLAN CM liq.

Sequestering agent for calcium, magnesium and iron in bleaching with hypochlorite and hydrogen peroxide.

Chemical characteristics:	salt of the polyalkylaminomethylene phosphonic acid
Ionic character:	anionactive
Appearance:	colorless clear liquid
pH sol. 1:10:	approx. 7-8
Solubility:	in cold water in all proportions
Resistance:	resistant to electrolytes, oxidants and reducing agents in the usual doses of employment in the textile field

Property

the Acquamollan CM does not sequester the metals contained in the dyes, therefore its use has no limitations. It is used in all the processing phases in which it is necessary to remove calcium and magnesium from the bath. The Acquamollan CM is used as a sequester in the mercerization processes, as a dispersant in both cotton and polyester scouring, because it easily maintains the glues present on the fiber in dispersion. Due to its stability to oxidizing agents and high temperatures it is used as an adjuvant in bleaching with hypochlorite and hydrogen peroxide.

Sequestering power: pH = 9	200 mg calcium carbonate per gram
pH = 10	210 " " " "
pH = 11	230 " " " "
pH = 12	230 " " " "

Doses of use: from 5 to 10 gr / l in continuous treatments,
from 1 to 2 gr / l in dicontinuous treatments.

The data reported are the result of accurate studies and / or experience, however, must be considered indicative and in any case without warranty on our part for use. The data contained in this sheet are not to be considered specific. For information email info@gammacolorsrl.com